

CHESAPEAKE PRODUCTS

Bring the Fire Home.

2026 Gas Log Collection



Authentic flame. Inviting warmth. Effortless fireplace enjoyment.

Explore Chesapeake's vented, premium vented, and vent-free gas log systems - designed to deliver realistic flame presentation, dependable performance, and a finished look for today's fireplace.

VENTED GAS LOGS

CV1 Signature Series

A proven, self-contained vented gas log system with concealed controls, easy ignition, lively flames, and a rich ember presentation. Choose a variable-flame millivolt remote with standing pilot or an electronic IPI on/off remote. Available for Natural Gas or Propane.



Burnt Chesapeake Oak



Burnt Chesapeake Birch



Split Chesapeake Oak

18 / 24 / 30 in.

NG or LP

ANSI certified

Variable flame or IPI remote

40,000-65,000 BTU

2026 MSRP - BURNER SYSTEMS

MODEL	DESCRIPTION	MSRP
CV1-18-VRN	18" Variable Flame Remote NG	\$1,458
CV1-24-VRN	24" Variable Flame Remote NG	\$1,497
CV1-30-VRN	30" Variable Flame Remote NG	\$1,546
CV1-18-VRP	18" Variable Flame Remote LP	\$1,458
CV1-24-VRP	24" Variable Flame Remote LP	\$1,497
CV1-30-VRP	30" Variable Flame Remote LP	\$1,546
CV1-18-IRN	18" On/Off IPI Remote NG	\$1,600
CV1-24-IRN	24" On/Off IPI Remote NG	\$1,640
CV1-30-IRN	30" On/Off IPI Remote NG	\$1,688
CV1-18-IRP	18" On/Off IPI Remote LP	\$1,600
CV1-24-IRP	24" On/Off IPI Remote LP	\$1,640
CV1-30-IRP	30" On/Off IPI Remote LP	\$1,688

GAS LOGS ONLY

MODEL	DESCRIPTION	MSRP
RCO-18"	Burnt Chesapeake Oak	\$446
RCO-24"	Burnt Chesapeake Oak	\$527
RCO-30"	Burnt Chesapeake Oak	\$708
BCB-18"	Burnt Chesapeake Birch	\$539
BCB-24"	Burnt Chesapeake Birch	\$615
BCB-30"	Burnt Chesapeake Birch	\$789
SCO-18"	Split Chesapeake Oak	\$452
SCO-24"	Split Chesapeake Oak	\$561
SCO-30"	Split Chesapeake Oak	\$677

Performance at a glance: 18 in. - 40,000 BTU • 24 in. - 55,000 BTU • 30 in. - 65,000 BTU. A durable, time-tested system designed to enhance a wide range of fireplaces.

CLEAN INSTALLATION

Concealed controls keep the finished fireplace presentation focused on the fire.

CONTROL OPTIONS

Choose variable-flame millivolt control or electronic IPI on/off remote operation.

CERTIFIED PERFORMANCE

Natural Gas and Propane configurations with ANSI-certified system options.



PREMIUM VENTED GAS LOGS

CV2 Premium Hybrid Series

Experience a fuller, more radiant presentation with fiber-enhanced refractory logs and a variable electronic IPI remote control valve. An exclusive stainless-steel booster grid acts as a catalyst to intensify the fire and increase radiant heat.



Burnt Chesapeake Bay Oak



Burnt Chesapeake Bay Split

18 / 24 / 30 in.

NG or LP

Variable electronic IPI remote

Radiant fiber-enhanced logs

2026 MSRP - BURNER SYSTEMS

MODEL	DESCRIPTION	MSRP
CV2-18-ARN	IPI Variable Valve & Remote NG	\$2,173
CV2-18-ARP	IPI Variable Valve & Remote LP	\$2,173
CV2-24/30-ARN	IPI Variable Valve & Remote NG	\$2,260
CV2-24/30-ARP	IPI Variable Valve & Remote LP	\$2,260

GAS LOGS ONLY

MODEL	DESCRIPTION	MSRP
BCBO-18"	Burnt Chesapeake Bay Oak	\$686
BCBO-24"	Burnt Chesapeake Bay Oak	\$750
BCBO-30"	Burnt Chesapeake Bay Oak	\$883
BCBS-18"	Burnt Chesapeake Bay Split	\$714
BCBS-24"	Burnt Chesapeake Bay Split	\$789
BCBS-30"	Burnt Chesapeake Bay Split	\$929

Premium construction: Handcrafted bark detail, upgraded black embers, decorative accessories, and radiant fiber-enhanced refractory logs create a distinctive finished installation.

BTU ratings: 18 in. - NG 46,000 / LP 36,000 • 24/30 in. - NG 55,000 / LP 46,000.

RADIANT DETAIL

Fiber-enhanced refractory logs combine handcrafted bark texture with radiant performance.

BOOSTER GRID

Exclusive stainless-steel grid is designed to intensify the fire and increase radiant heat.

PREMIUM FINISH

Black embers and decorative accessories complete the upgraded fireplace presentation.



HIGH-EFFICIENCY ROOM HEAT

CVF1 Vent-Free Series

The CVF1 Series pairs efficient room heat with a large ember bed and handcrafted log detail. A self-contained system with a variable-flame millivolt remote and standing pilot, it is available for Natural Gas or Propane in 16/18 and 24/30 configurations.



Charred Chesapeake Oak



Aged Chesapeake Split



Charred Chesapeake Split

18 / 24 / 30 in.

NG or LP

19,000-37,000 BTU

Variable flame remote

2026 MSRP - BURNER SYSTEMS

MODEL	DESCRIPTION	MSRP
CVF1-18-VFN	16/18 Variable Valve & Remote NG	\$1,542
CVF1-18-VFP	16/18 Variable Valve & Remote LP	\$1,542
CVF1-2430-VFN	24/30 Variable Valve & Remote NG	\$1,659
CVF1-2430-VFP	24/30 Variable Valve & Remote LP	\$1,659

GAS LOGS ONLY

MODEL	DESCRIPTION	MSRP
CHCO-18"	Charred Chesapeake Oak	\$390
CHCO-24"	Charred Chesapeake Oak	\$445
CHCO-30"	Charred Chesapeake Oak	\$553
ACS-18"	Aged Chesapeake Split	\$427
ACS-24"	Aged Chesapeake Split	\$492
ACS-30"	Aged Chesapeake Split	\$604
CHCS-18"	Charred Chesapeake Split	\$516
CHCS-24"	Charred Chesapeake Split	\$587
CHCS-30"	Charred Chesapeake Split	\$697

Included presentation media: Lava granules, embers, and Bryte Coals help create a lively ember bed and a polished fireplace appearance.

Available in 16/18 in. and 24/30 in. sets with variable BTU ratings from 19,000 to 37,000.

EFFICIENT HEAT

Variable BTU output supports room-heating performance across the available configurations.

RICH EMBER BED

Lava granules, embers, and Bryte Coals are included to enhance the finished fire presentation.

THREE LOG STYLES

Choose Charred Chesapeake Oak, Aged Chesapeake Split, or Charred Chesapeake Split.



Minimum Fireplace Sizing Guide

Minimum firebox dimensions for Chesapeake CV1, CV2, and CVF1 burner systems. Measure the fireplace carefully before selecting a log and burner size.

CV1 Vented Burner

MODEL / LOG SIZE	FRONT WIDTH	REAR WIDTH	DEPTH	HEIGHT
CV1-18	26"	20"	15"	17"
CV1-24	30"	24"	15"	17"
CV1-30	36"	29"	15"	17"

CV2 Premium Vented / Hybrid

MODEL / LOG SIZE	FRONT WIDTH	REAR WIDTH	DEPTH	HEIGHT
CV2-18	28"	20"	15"	17"
CV2-24	32"	24"	15"	17"
CV2-30	34"	28"	15"	17"

CVF1 Vent-Free Burner

MODEL / LOG SIZE	FRONT WIDTH	REAR WIDTH	DEPTH	HEIGHT
CVF1-18	22"	20"	13"	17"
CVF1-24	28"	20"	14"	17"
CVF1-30	34"	20"	14"	17"

SIZING NOTES

Dimensions shown are minimum firebox requirements. Rear width is measured at the corresponding depth. CV1/CV2 control configurations may require additional width; verify the exact burner manual before installation. For CVF1 vent-free installations, local codes and approved firebox requirements also apply.





Bring the Fire Home.

Three distinct gas log collections. One Chesapeake standard for warmth, flame presentation, and fireplace style.



CV1 SIGNATURE • CV2 PREMIUM HYBRID • CVF1 VENT-FREE

2026 MSRP shown in this brochure. Pricing, specifications, and availability may change. Always verify installation requirements, appliance instructions, and applicable local codes before installation.